

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for redirecting terminal communications, ~~setting up a redirection of contacts coming to a terminal, said redirection being to at least one other communication system,~~ the method comprising:
 - establishing a communication link with a terminal;
 - receiving, through the established communication link, information identifying at least one of a user of the terminal or the terminal;
 - identifying, based at least in part on the received information, second information regarding a period during which the terminal is to be off or without service;
 - generating a proposal based at least in part on the second information, wherein the proposal comprises sending to the terminal a proposal of an address of said at least one other communication system by utilizing a data transmission connection set up between the terminal and a first communication system to be accepted and/or to activate the redirection, wherein the proposal identifies one or more possible call forward targets for receiving communications directed toward the terminal during the period; of the at least one other communication system outside a home network of the terminal;
 - providing the proposal to the terminal; and
 - receiving, from the terminal, an acceptance which designates at least one of the one or more call forward targets for receiving the communications directed toward the terminal during the period, based on the proposal and user input regarding the proposal;
 - in response to the acceptance, automatically setting up a redirection of calls to the terminal to the at least one other communication system; and
 - wherein the contacts are directed to the at least one other communication system based, at least in part, on a parameter selected from a group of parameters including at least one of: a presence of text content in said contact,

~~a presence of audio content in said contact,~~
~~a presence of pictorial content in said contact,~~
~~a subject of said contact,~~
~~a caller originating said contact, and~~
~~a calling group originating said contact.~~

2. (Currently Amended) The method according to claim 1, wherein the at least one of the one or more call forward targets ~~other communication system~~ is located outside a coverage area of the terminal ~~first communication system~~.

3. (Currently Amended) The method according to claim 1, wherein the data ~~transmission connection~~ communication link comprises a short-range wireless data transmission connection.

4. (Previously presented) The method according to claim 1, wherein the terminal comprises means for performing mobile communication.

5. (Previously presented) The method according to claim 1, wherein the terminal functions in an Internet Protocol based multimedia system (IMS).

6. (Canceled)

7. (Currently Amended) The method according to claim 1, further comprising directing a communication intended for the terminal to the at least one of the one or more call forward targets during the period, ~~wherein a contact leaving another terminal and aimed at the terminal is directed to the at least one other communication system.~~

8. (Currently Amended) The method according to claim 7 ~~[[1]]~~, wherein the communication is directed based at least in part on a parameter indicated in the acceptance, wherein the parameter comprises at least one of a presence of audio content in the communication, a presence of pictorial content in the communication, a subject of the communication, a caller originating the communication, or a calling group originating the communication. ~~is determined from the terminal that is the actual target of the contact.~~

9. (Currently Amended) The method according to the claim 1, wherein the second information comprises travel information regarding an airplane flight of the user of the terminal. ~~data connected to the redirection is transmitted to another terminal.~~

10. (Currently Amended) The method according to claim 1, further comprising automatically deactivating wherein deactivation of redirection to the at least one of the one or more call forward targets ~~is automatic~~ if the terminal is switched on or after a predetermined ~~at the latest after a certain time.~~

11. (Currently Amended) A system which comprises:

a first communication system capable of being coupled to a first terminal via a communication link, wherein the first communication system is configured to data transmission connection, and

receive, through the communication link, information identifying at least one of a user of the terminal or the terminal;

identify, based at least in part on the received information, second information regarding a period during which the terminal is to be off or without service;

generate a proposal based at least in part on the second information, wherein the proposal comprises one or more call forward targets for receiving communications directed toward the terminal during the period; and

provide the proposal to the terminal; and

a home network of the terminal, wherein the home network comprises

a first network element configured to receive a message from the terminal, wherein the message comprises an identification of at least one of the one or more call forward targets; and

a second network element configured to redirect a communication intended for the terminal to the at least one of the one or more call forward targets during the period.

~~wherein a contact directed to the first terminal is capable of being redirected to at least one other communication system, wherein the data transmission connection is capable of transmitting the address of the at least one other communication system as a proposal to the~~

~~first terminal, wherein the proposal identifies one or more possible call forward targets of the at least one other communication system outside a home network of the terminal, said first communication system being capable of receiving, from the first terminal, an acceptance based on the proposal and user input regarding the proposal and automatically setting up a redirection of calls to the terminal to the at least one other communication system in response to the acceptance; and~~

~~wherein the contact is redirected to the at least one other communication system based, at least in part, on a parameter selected from a group of parameters including at least one of:~~

~~a presence of text content in said contact,~~

~~a presence of audio content in said contact,~~

~~a presence of pictorial content in said contact,~~

~~a subject of said contact,~~

~~a caller originating said contact, and~~

~~a calling group originating said contact.~~

12. (Currently Amended) The system according to claim 11, wherein the at least one of the one or more call forward targets ~~other communication system~~ is located outside a coverage area of the home network of the terminal. ~~first communication system.~~

13. (Currently Amended) The system according to claim 11, wherein the at least one of the one or more call forward targets comprises a satellite phone. ~~data transmission connection comprises a short-range wireless data transmission connection.~~

14. (Currently Amended) The system according to claim 13 ~~[[11]]~~, wherein the second information comprises travel information regarding a flight of the user of the terminal, and further wherein the satellite phone is located on an airplane. ~~terminal comprises means for performing mobile communication.~~

15. (Previously presented) The system according to claim 11, wherein the terminal is arranged to function in an Internet Protocol based multimedia system (IMS). •

16. (Currently Amended) The system according to claim 11, wherein the second

network element is further configured to terminal comprises means for automatically deactivate redirection to the at least one of the one or more call forward targets if the terminal is switched on. deactivating the redirection.

17. (Canceled)

18. (Canceled)